




# CLEAR PVC

PVC Curtains






# CLEAR PVC

## CERTIFICADO DE PRUEBA

NOMBRE:CORTINA DE PVC ESTÁNDAR	ARTÍCULO: PRUEBA	PÁGINA 1-1
TALLA: 2mmx200mmx91.44m	COLOR:AZUL CLARO Y AMARILLO	
PRUEBA DE ESTANDAR:GB/T5574-94	RESISTENCIA A LA TRACCIÓN A LA ROTURA:12MPa	
PRUEBA DE TEMPERATURA:24°C	RESISTENTE A LOS ULTRAVIOLETA: Y	
TEMPERATURA DE TRABAJO:-20°C TO +50° C		
ALARGAMIENTO A LA ROTURA:400%		



DUREZA: 60+/-5 Shore A

DENSIDAD: 1.2g/cm3

CONCLUSIÓN DE LA PRUEBA:

A TRAVÉS DE LAS PRUEBAS ANTERIORES, EL RESULTADO ESTÁ A LA ALTURA DEL ESTÁNDAR CHINO DE GB/T5574-94. ES EL PRODUCTO ELEGIBLE.






# CLEAR PVC

## CERTIFICADO DE PRUEBA

NAME:STANDARD PVC CURTAIN	ITEM: TEST	PAGE 1-1
SIZE: 2mmx200mmx91.44m	COLOUR:CLEAR BLUE AND YELLOW	
TEST STANDARD:GB/T5574-94	TENSILE STRENGTH AT BREAK:12MPa	
TEST TEMPERATURE:24°C		
WORK TEMPERATURE:-20°C TO +50° C		
ELONGATION AT BREAK:400%	UV RESISTANT:	Y



HARDANESS: 60+/-5 Shore A

DENSITY: 1.2g/cm3

TEST CONCLUSION:

Across the above tests, the result is up to the Chinese standard of GB/T5574-94. It is the eligible product.

